



ميديل ايست لخدمات الفحص ذ.م.م. Middle East Testing Services L.L.C.

TEST REPORT

Report No.: MR-150926-131

Client / Establishment : ProPeptide
Al Wasl New - Roudhat - Al Barsha First - Al Barsha - Dubai, United Arab Emirates

Sample ID : MS-150926-131
Sample Receiving Date : 15/09/2026
Reporting Date : 19/10/2026
Date of Analysis : 15/09/2026-26/09/2026
Tested by : LS
Issue No : 01 (Re-Issue Date: NA)

Sample Information:

Sample Description : BPC 157 10mg
Batch No : BC10V-001

Results of Chemical Analysis:

Date of Analysis: 15/09/2026-26/09/2026

Parameter	Test Method	Unit	Result
BPC 157 Content	HPLC	mg	10.75
BPC 157 (as Purity)	HPLC	%	99.45

Note: Traceability details of the sample not provided by the client.

Test Location: Ajman




Image of the tested sample

Prepared by

Team Head

Central Equipment Division (CED)

Employee Code: METS AJ EC 117

Verified by

Supervisor

Employee Code: METS AJ EC 266

The above test results are only applicable to the sample (s) referred above. This report shall not be reproduced except in full, without the written approval of METS laboratory.

For further clarification of reports, please contact qc@metslab.com

-End of Report-

Form MRF No. 09 Issue No. 02