



میدیل ایست لخدمات الفحص ذ.م.م.
Middle East Testing Services L.L.C.

TEST REPORT

Report No.: MR-150926-126

Client / Establishment : ProPeptide
Al Wasl New - Roudhat - Al Barsha First - Al Barsha - Dubai, United Arab Emirates

Sample ID : MS-150926-126
Sample Receiving Date : 15/09/2026
Reporting Date : 19/10/2026
Date of Analysis : 15/09/2026-30/09/2026
Tested by : LS
Issue No : 01 (Re-Issue Date: NA)

Sample Information:

Sample Description : TB 500 20 mg/3mL
Batch No : TB20P-001

Results of Chemical Analysis:

Date of Analysis: 15/09/2026-30/09/2026

Parameter	Test Method	Unit	Result
TB 500 Content	HPLC	%	1.93
TB 500 (as Purity)	HPLC	%	99.84

Note: Traceability details of the sample not provided by the client.

Test Location: Ajman




Image of the tested sample

Prepared by

Team Head
Central Equipment Division (CED)
Employee Code: METS AJ EC 117

Verified by

Supervisor
Employee Code: METS AJ EC 266

The above test results are only applicable to the sample (s) referred above. This report shall not be reproduced except in full, without the written approval of METS laboratory.
For further clarification of reports, please contact qc@metslab.com

-End of Report-