



میدیل ایست لخدمات الفحص ذ.م.م. Middle East Testing Services L.L.C.

TEST REPORT

Report No.: MR-150926-128

Client / Establishment : ProPeptide
Al Wasl New - Roudhat - Al Barsha First - Al Barsha - Dubai, United Arab Emirates

Sample ID : MS-150926-128
Sample Receiving Date : 15/09/2026
Reporting Date : 19/10/2026
Date of Analysis : 15/09/2026-26/09/2026
Tested by : LS
Issue No : 01 (Re-Issue Date: NA)

Sample Information:

Sample Description : Tesamorelin 10 mg
Batch No : TSM10V-001

Results of Chemical Analysis:

Date of Analysis: 15/09/2026-26/09/2026

Parameter	Test Method	Unit	Result
Tesamorlin Content	HPLC	mg	9.98
Tesamorelin (as Purity)	HPLC	%	99.31

Note: Traceability details of the sample not provided by the client.

Test Location: Ajman




Image of the tested sample

Prepared by

Team Head

Central Equipment Division (CED)

Employee Code: METS AJ EC 117

Verified by

Supervisor

Employee Code: METS AJ EC 266

The above test results are only applicable to the sample (s) referred above. This report shall not be reproduced except in full, without the written approval of METS laboratory.

For further clarification of reports, please contact qc@metslab.com

-End of Report-

Form MRF No. 09 Issue No. 02

AJMAN (UAE)
+971 58 950 5070

ABU DHABI (UAE)
+971 52 167 5802

DOHA (QATAR)
+974 77825070

CUMBRIA (UK)
+44 7526 505070

GURUGRAM (INDIA)
+91 88005 05077

W : www.metslab.com
E : lab@metslab.com